Table 4 Binomial Probability Distribution $C_{n,r}$ p^r q^{n-r} This table shows the probability of r successes in n independent trials, each with probability of success p.

n	r	.01	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	.55	.60	.65	.70	.75	.80	.85	.90	.95
2	0 1 2	.980 .020 .000	.902 .095 .002	.810 .180 .010	.723 .255 .023	.640 .320 .040	.563 .375 .063	.490 .420 .090	.423 .455 .123	.360 .480 .160	.303 .495 .203	.250 .500 .250	.203 .495 .303	.160 .480 .360	.123 .455 .423	.090 .420 .490	.063 .375 .563	.040 .320 .640	.023 .255 .723	.010 .180 .810	.002 .095 .902
3	0 1 2 3	.970 .029 .000 .000	.857 .135 .007 .000	.729 .243 .027 .001	.614 .325 .057 .003	.512 .384 .096 .008	.422 .422 .141 .016	.343 .441 .189 .027	.275 .444 .239 .043	.216 .432 .288 .064	.166 .408 .334 .091	.125 .375 .375 .125	.091 .334 .408 .166	.064 .288 .432 .216	.043 .239 .444 .275	.027 .189 .441 .343	.016 .141 .422 .422	.008 .096 .384 .512	.003 .057 .325 .614	.001 .027 .243 .729	.000 .007 .135 .857
4	0 1 2 3 4	.961 .039 .001 .000	.815 .171 .014 .000 .000	.656 .292 .049 .004 .000	.522 .368 .098 .011 .001	.410 .410 .154 .026 .002	.316 .422 .211 .047 .004	.240 .412 .265 .076 .008	.179 .384 .311 .112 .015	.130 .346 .346 .154 .026	.092 .300 .368 .200 .041	.062 .250 .375 .250 .062	.041 .200 .368 .300 .092	.026 .154 .346 .346 .130	.015 .112 .311 .384 .179	.008 .076 .265 .412 .240	.004 .047 .211 .422 .316	.002 .026 .154 .410	.001 .011 .098 .368 .522	.000 .004 .049 .292 .656	.000 .000 .014 .171 .815
5	0 1 2 3 4 5	.951 .048 .001 .000 .000	.774 .204 .021 .001 .000	.590 .328 .073 .008 .000	.444 .392 .138 .024 .002	.328 .410 .205 .051 .006	.237 .396 .264 .088 .015	.168 .360 .309 .132 .028	.116 .312 .336 .181 .049	.078 .259 .346 .230 .077 .010	.050 .206 .337 .276 .113 .019	.031 .156 .312 .312 .156	.019 .113 .276 .337 .206 .050	.010 .077 .230 .346 .259	.005 .049 .181 .336 .312 .116	.002 .028 .132 .309 .360 .168	.001 .015 .088 .264 .396 .237	.000 .006 .051 .205 .410	.000 .002 .024 .138 .392 .444	.000 .000 .008 .073 .328	.000 .000 .001 .021 .204 .774
6	0 1 2 3 4 5 6	.941 .057 .001 .000 .000 .000	.735 .232 .031 .002 .000 .000	.531 .354 .098 .015 .001 .000	.377 .399 .176 .042 .006 .000	.262 .393 .246 .082 .015 .002	.178 .356 .297 .132 .033 .004	.118 .303 .324 .185 .060 .010	.075 .244 .328 .236 .095 .020	.047 .187 .311 .276 .138 .037	.028 .136 .278 .303 .186 .061	.016 .094 .234 .312 .234 .094	.008 .061 .186 .303 .278 .136	.004 .037 .138 .276 .311 .187	.002 .020 .095 .236 .328 .244	.001 .010 .060 .185 .324 .303 .118	.000 .004 .033 .132 .297 .356	.000 .002 .015 .082 .246 .393	.000 .000 .006 .042 .176 .399	.000 .000 .001 .015 .098 .354	.000 .000 .000 .002 .031 .232
7	0 1 2 3 4 5 6 7	.932 .066 .002 .000 .000 .000	.698 .257 .041 .004 .000 .000	.478 .372 .124 .023 .003 .000 .000	.321 .396 .210 .062 .011 .001 .000	.210 .367 .275 .115 .029 .004 .000	.133 .311 .311 .173 .058 .012 .001	.082 .247 .318 .227 .097 .025 .004	.049 .185 .299 .268 .144 .047 .008	.028 .131 .261 .290 .194 .077 .017	.015 .087 .214 .292 .239 .117 .032	.008 .055 .164 .273 .273 .164 .055	.004 .032 .117 .239 .292 .214 .087	.002 .017 .077 .194 .290 .261 .131	.001 .008 .047 .144 ;268 .299 .185	.000 .004 .025 .097 .227 .318 .247	.000 .001 .012 .058 .173 .311 .311	.000 .000 .004 .029 .115 .275 .367	.000 .000 .001 .011 .062 .210 .396	.000 .000 .000 .003 .023 .124 .372	.000 .000 .000 .000 .004 .041 .257

Tubic 4																					
n	r	.01	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	.55	.60	.65	.70	.75	.80	.85	.90	.95
8	0	.923	.663	.430	.272	.168	.100	.058	.032	.017	.008	.004	.002	.001	.000	.000	.000	.000	.000	.000	.000
	1	.075	.279	.383	.385	.336	.267	.198	.137	.090	.055	.031	.016	.008	.003	.001	.000	.000	.000	.000	.000
	2	.003	.051	.149	.238	.294	.311	.296	.259	.209	.157	.109	.070	.041	.022	.010	.004	.001	.000	.000	.000
	3 1	.000	.005 .000	.033 .005	.084 :018	.147 .046	.208 .087	.254 .136	.279 .188	.279 .232	.257 .263	.219 .273	.172 .263	.124 .232	.081 .188	.047 .136	.023 .087	.009 .046	.003 .018	.000 .005	.000
	5	.000	.000	.000	.003	.009	.023	.047	.081	.124	.172	.219	.257	.279	.279	.254	.208	.147	.084	.033	.005
	6	.000	.000	.000	.000	.001	.004	.010	.022	.041	.070	.109	.157	.209	.259	.296	.311	.294	.238	.149	.051
	7	.000	.000	.000	.000	.000	.000	.001	.003	.008	.016	.031	.055	.090	.137	.198	.267	.336	.385	.383	.279
	8	.000	.000	.000	.000	.000	000	.000	.000	.001	.002	.004	.008	.017	.032	.058	.100	.168	.272	.430	.663
9	0	.914	.630	.387	.232	.134	.075	.040	.021	.010	.005	.002	.001	.000	.000	.000	.000	.000	.000	.000	.000
	1	.083	.299	.387	.368	.302	.225	.156	.100	.060	.034	.018	.008	.004	.001	.000	.000	.000	.000	.000	.000
	2	.003	.063	.172	.260	.302	.300	.267	.216	.161	.111	.070	.041	.021	.010	.004	.001	.000	.000	.000	.000
	4	.000 .000	.008 .001	.045 .007	.107 .028	.176 .066	.234 .117	.267 .172	.272 .219	.251 .251	.212 .260	.164 .246	.116 .213	.074 .167	.042 .118	.021 .074	.009 .039	.003 .017	.001 .005	.000 .001	.000 .000
	5	.000	.000	.007	.005	.000	.039	.074	.118	.167	.213	.246	.260	.251	.219	.172	.117	.066	.028	.007	.000
	6	.000	.000	.000	.001	.003	.009	.021	.042	.074	.116	.164	.212	.251	.272	.267	.234	.176	.107	.045	.008
	7	.000	.000	.000	.000	.000	.001	.004	.010	.021	.041	.070	.111	.161	.216	.267	.300	.302	.260	.172	.063
	8	.000	.000	.000	.000	.000	.000	.000	.001	.004	.008	.018	.034	.060	.100	.156	.225	.302	.368	.387	.299
	9	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.002	.005	.010	.021	.040	.075	.134	.232	.387	.630
10	0	.904	.599	.349	.197	.107	.056	.028	.014	.006	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000
	1	.091	.315	.387	.347	.268	.188	.121	.072	.040	.021	.010	.004	.002	.000	.000	.000	.000	.000	.000	.000
	2	.004 .000	.075 .010	.194 .057	.276 .130	.302 .201	.282 .250	.233 .267	.176 .252	.121 .215	.076 .166	.044 .117	.023 .075	.011 .042	.004 .021	.001 .009	.000	.000 .001	.000	.000 .000	.000
	4	.000	.001	.037	.040	.088	.146	.200	.238	.251	.238	.205	.160	.111	.069	.009	.003	.006	.000	.000	.000
	5	.000	.000	.001	.008	.026	.058	.103	.154	.201	.234	.246	.234	.201	.154	.103	.058	.026	.008	.001	.000
	6	.000	.000	.000	.001	.006	.016	.037	.069	.111	.160	.205	.238	.251	.238	.200	.146	.088	.040	.011	.001
	7	.000	.000	.000	.000	.001	.003	.009	.021	.042	.075	.117	.166	.215	.252	.267	.250	.201	.130	.057	.010
	8	.000	.000	.000	.000	.000	.000	.001	.004	.011	.023	.044	.076	.121	.176	.233	.282	.302	.276	.194	.07.
	9	.000	.000	.000	.000	.000	.000	.000	.000	.002	.004	.010	.021	.040	.072	.121	.188	.268	.347	.387	.315
	10	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.006	.014	.028	.056	.107	.197	.349	.599
11	0	.895	.569	.314	.167	.086	.042	.020	.009	.004	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	1	.099	.329	.384	.325	.236	.155	.093	.052	.027	.013	.005	.002	.001	.000	.000	.000	.000	.000	.000	.000
	2	.005 .000	.087 .014	.213 .071	.287 .152	.295 .221	.258 .258	.200 .257	.140 .225	.089 .177	.051 .126	.027 .081	.013 .046	.005 .023	.002 .010	.001 .004	.000 .001	.000 .000	.000	.000 .000	.000 .000
	4	.000	.001	.016	.054	.111	.172	.220	.243	.236	.206	.161	.113	.023	.038	.004	.001	.002	.000	.000	.000
	5	.000	.000	.002	.013	.039	.080	.132	.183	.221	.236	.226	.113	.147	.030	.057	.027	.010	.002	.000	.000
	~	.000	.000	.002	.0.0	.000	.000				00				.000	.00.	.02.	.0.0	.002	.000	.000

Tubic 4	2																				
n	r	.01	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	.55	.60	.65	.70	.75	.80	.85	.90	.95
11	6	.000	.000	.000	.002	.010	.027	.057	.099	.147	.193	.226	.236	.221	.183	.132	.080	.039	.013	.002	.000
	7	.000	.000	.000	.000	.002	.006	.017	.038	.070	.113	.161	.206	.236	.243	.220	.172	.111	.054	.016	.001
	8	.000	.000	.000	.000	.000	.001	.004	.010	.023	.046	.081	.126	.177	.225	.257	.258	.221	.152	.071	.014
	9	.000	.000	.000	.000	.000	.000	.001	.002	.005	.013	.027	.051	.089	.140	.200	.258	.295	.287	.213	.087
	10	.000	.000	.000	.000	.000	.000	.000	.000	.001	.002	.005	.013	.027	.052	.093	.155	.236	.325	.384	.329
	11	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.004	.009	.020	.042	.086	.167	.314	.569
12	0	.886	.540	.282	.142	.069	.032	.014	.006	.002	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	1	.107	.341	.377	.301	.206	.127	.071	.037	.017	.008	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000
	2	.006	.099	.230	.292	.283	.232	.168	.109	.064	.034	.016	.007	.002	.001	.000	.000	.000	.000	.000	.000
	3	.000	.017	.085	.172	.236	.258	.240	.195	.142	.092	.054	.028	.012	.005	.001	.000	.000	.000	.000	.000
	4 5	.000	.002 .000	.021 .004	.068 .019	.133 .053	.194 .103	.231	.237 .204	.213 .227	.170 .223	.121 .193	.076 .149	.042 .101	.020 .059	.008 .029	.002 .011	.001 .003	.000 .001	.000 .000	.000 .000
	6	.000	.000	.004	.004	.033	.103	.158 .079	.204	.22 <i>1</i> .177	.223	.193	.149	.101	.128	.029	.040	.003	.001	.000	.000
	7	.000	.000	.000	.004	.003	.040	.029	.059	.101	.149	.220	.212	.227	.120	.079	.103	.053	.004	.004	.000
	8	.000	.000	.000	.000	.003	.002	.008	.020	.042	.076	.121	.170	.213	.237	.231	.103	.133	.068	.004	.002
	9	.000	.000	.000	.000	.000	.002	.001	.005	.012	.028	.054	.092	.142	.195	.240	.258	.236	.172	.085	.002
	10	.000	.000	.000	.000	.000	.000	.000	.003	.002	.020	.016	.034	.064	.109	.168	.232	.283	.292	.230	.099
	11	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.008	.017	.037	.071	.127	.206	.301	.377	.341
	12	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.002	.006	.014	.032	.069	.142	.282	.540
15	0	.860	.463	.206	.087	.035	.013	.005	.002	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	1	.130	.366	.343	.231	.132	.067	.031	.013	.005	.002	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	2	.009	.135	.267	.286	.231	.156	.092	.048	.022	.009	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000
	3	.000	.031	.129	.218	.250	.225	.170	.111	.063	.032	.014	.005	.002	.000	.000	.000	.000	.000	.000	.000
	4 5	.000	.005	.043	.116	.188	.225	.219	.179	.127 .186	.078	.042	.019	.007 .024	.002	.001	.000	.000 .000	.000	.000 .000	.000
	5 6	.000	.001 .000	.010 .002	.045 .013	.103 .043	.165 .092	.206 .147	.212 .191	.207	.140 .191	.092 .153	.051 .105	.024	.010 .030	.003 .012	.001 .003	.000	.000 .000	.000	.000 .000
	7	.000	.000	.002	.003	.043	.032	.081	.132	.207	.201	.196	.165	.118	.030	.035	.003	.003	.001	.000	.000
	8	.000	.000	.000	.003	.003	.013	.035	.071	.118	.165	.196	.201	.177	.132	.033	.039	.003	.003	.000	.000
	9	.000	.000	.000	.000	.003	.003	.012	.030	.061	.105	.153	.191	.207	.191	.147	.092	.043	.013	.002	.000
	10	.000	.000	.000	.000	.000	.001	.003	.010	.024	.051	.092	.140	.186	.212	.206	.165	.103	.045	.010	.001
	11	.000	.000	.000	.000	.000	.000	.001	.002	.007	.019	.042	.078	.127	.179	.219	.225	.188	.116	.043	.005
	12	.000	.000	.000	.000	.000	.000	.000	.000	.002	.005	.014	.032	.063	.111	.170	.225	.250	.218	.129	.031
	13	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.009	.022	.048	.092	.156	.231	.286	.267	.135
	14	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.002	.005	.013	.031	.067	.132	.231	.343	.366
	15	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.002	.005	.013	.035	.087	.206	.463
16	0	.851	.440	.185	.074	.028	.010	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	1	.138	.371	.329	.210	.113	.053	.023	.009	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000

										р)										
n	r	.01	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	.55	.60	.65	.70	.75	.80	.85	.90	.95
16	2	.010	.146	.275	.277	.211	.134	.073	.035	.015	.006	.002	.001	.000	.000	.000	.000	.000	.000	.000	.000
	3	.000	.036	.142	.229	.246	.208	.146	.089	.047	.022	.009	.003	.001	.000	.000	.000	.000	.000	.000	.000
	4	.000	.006	.051	.131	.200	.225	.204	.155	.101	.057	.028	.011	.004	.001	.000	.000	.000	.000	.000	.000
	5	.000	.001	.014	.056	.120	.180	.210	.201	.162	.112	.067	.034	.014	.005	.001	.000	.000	.000	.000	.000
	6	.000	.000	.003	.018	.055	.110	.165	.198	.198	.168	.122	.075	.039	.017	.006	.001	.000	.000	.000	.000
	7	.000	.000	.000	.005	.020	.052	.101	.152	.189	.197	.175	.132	.084	.044	.019	.006	.001	.000	.000	.000
	8	.000	.000	.000	.001	.006	.020	.049	.092	.142	.181	.196	.181	.142	.092	.049	.020	.006	.001	.000	.000
	9	.000	.000	.000	.000	.001	.006	.019	.044	.084	.132	.175	.197	.189	.152	.101	.052	.020	.005	.000	.000
	10	.000	.000	.000	.000	.000	.001	.006	.017	.039	.075	.122	.168	.198	.198	.165	.110	.055	.018	.003	.000
	11	.000	.000	.000	.000	.000	.000	.001	.005	.014	.034	.067	.112	.162	.201	.210	.180	.120	.056	.014	.001
	12	.000	.000	.000	.000	.000	.000	.000	.001	.004	.011	.028	.057	.101	.155	.204	.225	.200	.131	.051	.006
	13	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.009	.022	.047	.089	.146	.208	.246	.229	.142	.036
	14	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.002	.006	.015	.035	.073	.134	.211	.277	.275	.146
	15	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.009	.023	.053	.113	.210	.329	.371
	16	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.010	.028	.074	.185	.440
20	0	.818	.358	.122	.039	.012	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	1	.165	.377	.270	.137	.058	.021	.007	.002	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	2	.016	.189	.285	.229	.137	.067	.028	.010	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	3	.001	.060	.190	.243	.205	.134	.072	.032	.012	.004	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000
	4	.000	.013	.090	.182	.218	.190	.130	.074	.035	.014	.005	.001	.000	.000	.000	.000	.000	.000	.000	.000
	5	.000	.002	.032	.103	.175	.202	.179	.127	.075	.036	.015	.005	.001	.000	.000	.000	.000	.000	.000	.000
	6	.000	.000	.009	.045	.109	.169	.192	.171	.124	.075	.037	.015	.005	.001	.000	.000	.000	.000	.000	.000
	7	.000	.000	.002	.016	.055	.112	.164	.184	.166	.122	.074	.037	.015	.005	.001	.000	.000	.000	.000	.000
	8	.000	.000	.000	.005	.022	.061	.114	.161	.180	.162	.120	.073	.035	.014	.004	.001	.000	.000	.000	.000
	9	.000	.000	.000	.001	.007	.027	.065	.116	.160	.177	.160	.119	.071	.034	.012	.003	.000	.000	.000	.000
	10	.000	.000	.000	.000	.002	.010	.031	.069	.117	.159	.176	.159	.117	.069	.031	.010	.002	.000	.000	.000
	11	.000	.000	.000	.000	.000	.003	.012	.034	.071	.119	.160	.177	.160	.116	.065	.027	.007	.001	.000	.000
	12	.000	.000	.000	.000	.000	.001	.004	.014	.035	.073	.120	.162	.180	.161	.114	.061	.022	.005	.000	.000
	13	.000	.000	.000	.000	.000	.000	.001	.005	.015	.037	.074	.122	.166	.184	.164	.112	.055	.016	.002	.000
	14	.000	.000	.000	.000	.000	.000	.000	.001	.005	.015	.037	.075	.124	.171	.192	.169	.109	.045	.009	.000
	15	.000	.000	.000	.000	.000	.000	.000	.000	.001	.005	.015	.036	.075	.127	.179	.202	.175	.103	.032	.002
	16	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.005	.014	.035	.074	.130	.190	.218	.182	.090	.013
	17	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.004	.012 .003	.032	.072	.134	.205	.243	.190	.060
	18	.000		.000	.000	.000	.000		.000	.000	.000	.000	.001		.010	.028	.067	.137	.229	.285	.189 .377
	19	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.002	.007	.021	.058	.137	.270	
	20	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.012	.039	.122	.358

Table 5 Areas of a Standard Normal Distribution

The table entries represent the area under the standard normal curve from 0 to the specified value of z.

									- 6	201
Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
0.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
0.1	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
0.2		.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
0.3	.1179	.1591	.1628	.1293	.1700	.1736	.1400	.1808	.1844	.1879
0.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
0.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
0.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
0.8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106	.3133
0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
1.3		.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4		.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	:4821	.4826	:4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
								.4949	.4951	
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990
	1.007								. 1000	
3.1	.4990	.4991	.4991	.4991	.4992	.4992	.4992	.4992	.4993	.4993
3.2	.4993	.4993	.4994	.4994	.4994	.4994	.4994	.4995	.4995	.4995
3.3	.4995	.4995	.4995	.4996	.4996	.4996	.4996	.4996	.4996	.4997
3.4	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4998
3.5		.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998
3.6		.4998	.4998	.4999	.4999	.4999	.4999	.4999	.4999	.4999

For values of z greater than or equal to 3.70, use 0.4999 to approximate the shaded area under the standard normal curve.





Table 6 Student's t Distribution

Student's t values generated by Minitab Version 9.2


c is a confidence level:



a' is the level of significance for a one-tailed test:




a" is the level of significance for a two-tailed test



С	0.750	0.800	0.850	0.900	0.950	0.980	0.990
a'	0.125	0.100	0.075	0.050	0.025	0.010	0.005
a"	0.250	0.200	0.150	0.100	0.050	0.020	0.010
d.f.							
1	2.414	3.078	4.165	6.314	12.706	31.821	63.657
2	1.604	1.886	2.282	2.920	4.303	6.965	9.925
3	1.423	1.638	1.924	2.353	3.182	4.541	5.841
4	1.344	1.533	1.778	2.132	2.776	3.747	4.604
5	1.301	1.476	1.699	2.015	2.571	3.365	4.032
6	1.273	1.440	1.650	1.943	2.447	3.143	3.707
7	1.254	1.415	1.617	1.895	2.365	2.998	3.499
8	1.240	1.397	1.592	1.860	2.306	2.896	3.355
9	1.230	1.383	1.574	1.833	2.262	2.821	3.250
10	1.221	1.372	1.559	1.812	2.228	2.764	3.169
11	1.214	1.363	1.548	1.796	2.201	2.718	3.106
12	1.209	1.356	1.538	1.782	2.179	2.681	3.055
13	1.204	1.350	1.530	1.771	2.160	2.650	3.012
14	1.200	1.345	1.523	1.761	2.145	2.624	2.977
15	1.197	1.341	1.517	1.753	2.131	2.602	2.947
16	1.194	1.337	1.512	1.746	2.120	2.583	2.921
17	1.191	1.333	1.508	1.740	2.110	2.567	2.898
18	1.189	1.330	1.504	1.734	2.101	2.552	2.878
19	1.187	1.328	1.500	1.729	2.093	2.539	2.861
20	1.185	1.325	1.497	1.725	2.086	2.528	2.845
21	1.183	1.323	1.494	1.721	2.080	2.518	2.831
22	1.182	1.321	1.492	1.717	2.074	2.508	2.819
23	1.180	1.319	1.489	1.714	2.069	2.500	2.807
24	1.179	1.318	1.487	1.711	2.064	2.492	2.797
25	1.178	1.316	1.485	1.708	2.060	2.485	2.787
26	1.177	1.315	1.483	1.706	2.056	2.479	2.779
27	1.176	1.314	1.482	1.703	2.052	2.473	2.771
28	1.175	1.313	1.480	1.701	2.048	2.467	2.763
29	1.174	1.311	1.479	1.699	2.045	2.462	2.756
30	1.173	1.310	1.477	1.697	2.042	2.457	2.750
35	1.170	1.306	1.472	1.690	2.030	2.438	2.724
40	1.167	1.303	1.468	1.684	2.021	2.423	2.704
45	1.165	1.301	1.465	1.679	2.014	2.412	2.690
50	1.164	1.299	1.462	1.676	2.009	2.403	2.678
55	1.163	1.297	1.460	1.673	2.004	2.396	2.668
60	1.162	1.296	1.458	1.671	2.000	2.390	2.660
90	1.158	1.291	1.452	1.662	1.987	2.369	2.632
120	1.156	1.289	1.449	1.658	1.980	2.358	2.617
CC	1.15	1.28	1.44	1.645	1.96	2.33	2.58

Areas of a Standard Normal Distribution

The table entries represent the area under the standard normal curve from 0 to the specified value of \boldsymbol{z} .



Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
0.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
0.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
0.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
0.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
0.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
0.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
0.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
0.8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106	.3133
0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	:4821	.4826	:4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990
3.1	.4990	.4991	.4991	.4991	.4992	.4992	.4992	.4992	.4993	.4993
3.2	.4993	.4993	.4994	.4994	.4994	.4994	.4994	.4995	.4995	.4995
3.3	.4995	.4995	.4995	.4996	.4996	.4996	.4996	.4996	.4996	.4997
3.4	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4998
3.5	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998
3.6	.4998	.4998	.4998	.4999	.4999	.4999	.4999	.4999	.4999	.4999

3.6 | .4998 .4998 .4999 .4999 .4999 .4999 .4999 .4999 .4999 .4999 .4999 .4999 .4999 .4999 For values of z greater than or equal to 3.70, use 0.4999 to approximate the shaded area under the standard normal curve.


Some Levels of Confidence and Their Corresponding Critical Values

Commonly Used Critical Values z_0 from the Standard Normal Distribution


Critical Value z _c	Type of Test	Level of Si	gnificance
1.15		0.05	0.01
1.28			
1.44	Left-tailed	- 1.645	-2.33
1.645	Right-tailed	1.645	2.33
1.96	Two-tailed	±1.96	±2.58
2.58			
	1.15 1.28 1.44 1.645 1.96	1.15 1.28 1.44 Left-tailed 1.645 Right-tailed 1.96 Two-tailed	1.15 0.05 1.28 1.44 Left-tailed - 1.645 1.645 Right-tailed 1.645 1.96 Two-tailed ±1.96

Table 8 Critical Values of Pearson Product-Moment Correlation Coefficient, r


For a right-tailed test, use a positive *r* value:



For a left-tailed test, use a negative *r* value:



For a two-tailed test, use a positive *r* value and negative r value:



	a =	0.01	a =	0.05
n	one tail	two tails	one tail	two tails
3	1.00	1.00	.99	1.00
4	.98	.99	.90	.95
5	.93	.96	.81	.88
6	.88	.92	.73	.81
7	.83	.87	.67	.75
8	.79	.83	.62	.71
9	.75	.80	.58	.67
10	.72	.76	.54	.63
11	.69	.73	.52	.60
12	.66	.71	.50	.58
13	.63	.68	.48	.53
14	.61	.66	.46	.53
15	.59	.64	.44	.51
16	.57	.62	.42	.50
17	.56	.61	.41	.48
18	.54	.59	.40	.47
19	.53	.58	.39	.46
20	.52	.56	.38	.44
21	.50	.55	.37	.43
22	.49	.54	.36	.42
23 24	.48 .47	.53	.35 .34	.41
25	.47 .46	.52 .51	.34	.40 .40
26	.46 .45	.50	.33	.40
27	.45 .45	.30 .49	.33	.38
28	.44	.48	.32	.37
29	.43	.47	.32	.37
30	.42	.46	.31	.36

Chapter 1

Class Width =
$$\frac{\text{high - low}}{\text{number of classes}}$$
 (increase to next

integer)

Class Midpoint =
$$\frac{\text{upperlimit} + \text{lowerlimit}}{2}$$

Lower boundary = lower boundary of previous class + class width

Chapter 2

Sample mean
$$\overline{X} = \frac{\sum x}{n}$$

Population mean
$$\mu = \frac{\sum x}{N}$$

Range = largest data value - smallest data value

Sample standard deviations
$$s = \sqrt{\frac{\sum (x - \overline{x})^2}{n - 1}}$$

Computation formula
$$s = \sqrt{\frac{SS_X}{n-1}}$$
 where

$$SS_X = \sum x^2 - \frac{(\sum x)^2}{n}$$

Population standard deviation
$$\sigma = \sqrt{\frac{\sum (x - \mu)^2}{N}}$$

Sample variance s²

Population variance o^2

Sample Coefficient of Variation
$$CV = \frac{s}{\overline{x}} \cdot 100$$

Sample mean for grouped data $\bar{x} = \frac{\sum xf}{x}$

Sample standard deviation for grouped data

$$s = \sqrt{\frac{\sum (x - \overline{x})^2 f}{n - 1}}$$

Chapter 3

Regression and Correlation

In all these formulas
$$SS_{x} = \sum x^{2} - \frac{(\sum x)^{2}}{n}$$

$$SS_{y} = \sum y^{2} - \frac{(\sum y)^{2}}{n}$$

$$SS_{xy} = \sum xy - \frac{(\sum x)(\sum y)}{n}$$

Least squares line
$$y = a + bx$$
 where $b = \frac{SS_{XY}}{SS_X}$ and

$$a = \overline{y} - b\overline{x}$$

Pearson product-moment correlation coefficient

$$r = \frac{SS_{xy}}{\sqrt{SS_x SS_y}}$$

Coefficient of determination = r^2

Chapter 4

Probability of the complement of event A

$$P(not A) = 1 - P(A)$$

Multiplication rule for independent events

$$P(A \text{ and } B) = P(A) \cdot P(B)$$

General multiplication rules

$$P(A \text{ and } B) = P(A) \cdot P(B, given A)$$

$$P(A \text{ and } B) = P(B) \cdot P(A, given B)$$

Addition rule for mutually exclusive events

$$P(A \text{ or } B) = P(A) + P(B)$$

$$P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$$

Permutation rule
$$P_{n,r} = \frac{n!}{(n-r)!}$$

Combination rule
$$C_{n,r} = \frac{n!}{r!(n-r)!}$$

Chapter 5

Mean of a discrete probability distribution $\mu = \sum xP(x)$

Standard deviation of a discrete probability distribution

$$\sigma = \sqrt{\sum (x - \mu)^2 P(x)}$$

For Binomial Distributions

r = number of successes; p = probability of success;

Binomial probability distribution $P(r) = \frac{n!}{r!(n-r)!} p^r q^{n-r}$

Mean
$$\mu = np$$

Standard deviation $\sigma = \sqrt{npq}$

Chapter 6

Raw score
$$x = z\sigma + \mu$$

Standard score
$$z = \frac{x - \mu}{\sigma}$$

Chapter 7

Mean of \bar{x} distribution $\mu_{\bar{x}} = \mu$

Standard deviation of \bar{x} distribution $\sigma_{\bar{x}} = \frac{\delta}{\sqrt{1 - 1}}$

Standard score for \bar{x} $z = \frac{\bar{x} - \mu}{\sigma / \sqrt{n}}$

Chapter 8

Confidence Interval

for $\mu(when n \ge 30)$

$$\overline{x} - z_c \frac{\sigma}{\sqrt{n}} < \mu < \overline{x} + z_c \frac{\sigma}{\sqrt{n}}$$

for $\mu(when n < 30)$

$$d.f. = n - 1$$

$$\overline{x} - t_c \frac{s}{\sqrt{n}} < \mu < \overline{x} + t_c \frac{s}{\sqrt{n}}$$

for p(when np > 5 and nq > 5)

$$\hat{\rho} - z_c \sqrt{\frac{\hat{p}(1-\hat{p})}{n}}$$

Sample Size for Estimating

means
$$n = \left(\frac{z_c \sigma}{E}\right)^2$$

$$n = \rho \left(1 - \rho \left(\frac{z_c}{E}\right)^2\right)$$
 with preliminary estimate for ρ

$$n = \frac{1}{4} \left(\frac{z_c}{E} \right)^2$$
 without preliminary estimate for p

Chapter 9

Sample Test Statistics for Tests of Hypotheses

for
$$\mu$$
(when $n \ge 30$) $z = \frac{\overline{x} - \mu}{\sigma / \sqrt{n}}$

for
$$\mu$$
 (when $n < 30$); $t = \frac{\overline{x} - \mu}{s / \sqrt{n}}$ with d.f. $= n - 1$

for
$$p$$
 $z = \frac{\hat{p} - p}{\sqrt{pq/n}}$ where $q = 1 - p$

Chapter 10

Sample Test Statistics for Tests of Hypothesis

for paired difference
$$d$$
 $t = \frac{\overline{d} - \mu_d}{s_d / \sqrt{n}}$ with $d.f. = n - 1$

difference of means large sample
$$z = \frac{(\overline{x}_1 - \overline{x}_2) - (\mu_1 - \mu_2)}{\sqrt{\frac{\sigma_1^2}{n_1} = \frac{\sigma_2^2}{n_2}}}$$

difference of proportions

$$z = \frac{\hat{p}_1 - \hat{p}_2}{\sqrt{\frac{\hat{p}\hat{q}}{n_1} + \frac{\hat{p}\hat{q}}{n_2}}} \text{ where } \hat{p} = \frac{r_1 + r_2}{n_1 + n_2}; \hat{q} = 1 - \hat{p};$$

$$\hat{p}_2 = r_1/n_1; \hat{p}_2 = r_2/n_2$$

Confidence Intervals

for difference of means (when $n_1 \ge 30$ and $n_2 \ge 30$)

$$(\overline{x}_{1} - \overline{x}_{2}) - z_{2} \sqrt{\frac{\sigma_{1}^{2}}{n_{2}} + \frac{\sigma_{2}^{2}}{n_{2}}} < \mu_{1} - \mu_{2} < (\overline{x}_{1} - \overline{x}_{2})$$

$$+ z_{2} \sqrt{\frac{\sigma_{1}^{2}}{n_{1}} + \frac{\sigma_{2}^{2}}{n_{2}}}$$

for difference of proportions

where
$$\hat{p}_1 = r_1/\hat{p}_2 = r_2/n_2$$
; $\hat{q}_1 = 1 - \hat{p}_1$; $\hat{q}_2 = 1 - \hat{p}_2$

$$(\hat{p}_1 - \hat{p}_2) - z_2 \sqrt{\frac{\hat{p}_1 \hat{q}_1}{n_1} + \frac{\hat{p}_2 \hat{q}_2}{n_2}} < \hat{p}_1 - \hat{p}_2 < (\hat{p}_1 - \hat{p}_2)$$

$$+ z_c \sqrt{\frac{\hat{p}_1 \hat{q}_1}{n_1} + \frac{\hat{p}_2 \hat{q}_2}{n_2}}$$

Chapter 11

$$x^{2} = \sum \frac{(O - E)^{2}}{E}$$
 where
$$E = \frac{(row \ total)(column \ total)}{sample \ size}$$

Tests of independence d.f. = (R-1)(C-1)

Goodness of fit $d.f. = (number \ of \ entries) - 1$

Sample test statistic for H_0 : $\sigma^2 = k$; d.f. = n-1

$$\chi^2 = \frac{(n-1)s^2}{\sigma^2}$$

Linear Regression

Standard error or estimate $S_e = \sqrt{\frac{SS_y - bSS_{xy}}{s}}$

where
$$b = \frac{SS_{xy}}{SS_{y}}$$

Confidence interval for y

$$y_p - E < y_p + E$$
 where y_p is the predicted y value

$$E = t_c S_e \sqrt{1 + \frac{1}{n} + \frac{(x - \overline{x})^2}{SS_x}}$$
 with $d.f. = n - 2$