

جدول القيم الحرجة لمعامل الارتباط سبيرمان:

N	One-tailed test (طرف واحد)		Two-tailed Test (طرفين)		N	One-tailed test (طرف واحد)		Two-tailed Test (طرفين)	
	0.05	0.01	0.05	0.01		0.05	0.01	0.05	0.01
4	1.000	-	-	-	33	0.291	0.405	0.345	0.446
5	0.900	1.000	1.000	-	34	0.287	0.400	0.340	0.439
6	0.829	0.943	0.886	1.000	35	0.283	0.394	0.335	0.433
7	0.714	0.893	0.786	0.929	36	0.279	0.388	0.330	0.427
8	0.643	0.833	0.738	0.881	37	0.275	0.383	0.325	0.421
9	0.600	0.783	0.700	0.833	38	0.271	0.378	0.321	0.415
10	0.564	0.745	0.648	0.794	39	0.267	0.373	0.317	0.410
11	0.536	0.709	0.618	0.755	40	0.264	0.368	0.313	0.405
12	0.503	0.678	0.587	0.727	41	0.261	0.364	0.309	0.400
13	0.484	0.648	0.560	0.703	42	0.257	0.359	0.305	0.396
14	0.464	0.626	0.538	0.679	43	0.254	0.355	0.301	0.391
15	0.446	0.604	0.521	0.654	44	0.251	0.351	0.298	0.386
16	0.429	0.582	0.503	0.635	45	0.248	0.347	0.294	0.382
17	0.414	0.566	0.488	0.618	46	0.246	0.343	0.291	0.378
18	0.401	0.550	0.472	0.600	47	0.243	0.340	0.288	0.374
19	0.391	0.535	0.460	0.584	48	0.240	0.336	0.285	0.370
20	0.380	0.522	0.447	0.570	49	0.238	0.333	0.282	0.366
21	0.370	0.509	0.436	0.556	50	0.235	0.329	0.279	0.363
22	0.361	0.497	0.425	0.544	51	0.233	0.326	0.276	0.359
23	0.353	0.486	0.416	0.532	52	0.231	0.323	0.274	0.356
24	0.344	0.476	0.407	0.521	53	0.228	0.320	0.271	0.352
25	0.337	0.466	0.398	0.511	54	0.226	0.317	0.268	0.349
26	0.331	0.457	0.390	0.501	55	0.224	0.314	0.266	0.346
27	0.324	0.449	0.383	0.492	56	0.222	0.311	0.264	0.343
28	0.318	0.441	0.375	0.483	57	0.220	0.308	0.261	0.340
29	0.312	0.433	0.368	0.475	58	0.218	0.306	0.259	0.337
30	0.306	0.425	0.362	0.467	59	0.216	0.303	0.257	0.334
31	0.301	0.419	0.356	0.459	60	0.214	0.301	0.255	0.331
32	0.296	0.412	0.350	0.452					